120 South Riverside Plaza Floor 22 Chicago, Illinois 60606-3912 (312) 655-1500

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Attorney Docket No.:		4446-103028US (formerly 926530-100248)	Certificate Under 37 CFR 1.8(a) I hereby certify that this correspondence is being electronically filed via EFS WEB addressed to: Mail Stop Amendment Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on April 8, 2008. Collem M. Dunphy Colleen M. Dunphy
Applicants:		Jensen et al.	
Group Art Unit: Confirmation No.:		3746	
		6324	
Serial No.		10/798,651	
Filed:	Filed: March 11, 2004		} } }
Examininer:		Peter John Bertheaud	} }
Title:		SELF-TIGHTENING COVER FOR PUMP	<pre>} } } } </pre>
Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450			
[x]	AUTHORIZATION TO PAY AND PETITION FOR THE ACCEPTANCE OF ANY NECESSARY FEES. If any charges or fees must be paid in connection with the following Communication (including but not limited to the payment of Issue Fees), they may be paid out of our deposit account 23-0920. If this payment also requires a Petition, please construe this authorization to pay as the necessary Petition which is required to accompany this payment.		
[]	Applicant hereby petitions for a and entry of this Amendment which is sent within the third month after the due date of The payment of to cover the extension may be paid out of our deposit account 23-0920. If this payment also requires a Petition, please construe this authorization to pay as the necessary Petition which is required to accompany this payment.		

AMENDMENT AND RESPONSE TO OFFICE ACTION

The present communication responds to the Office Action mailed February 4, 2008. Applicant points out that its correspondence address has changed to that associated with customer number 24628. Applicants' attorney previously sent in a Change of Correspondence Address.

Prior to the present communication, claims 1-15 are pending. The present communication amends claims 1, 5 and 15. No claims have been added. No claims have been cancelled. The recitation of claims begins on page 5.

The amendments to the specification begin on page 3.

No amendments have been made to the drawings.

The remarks begin on page 9.